

Wu, Jennifer

From: Zimmerman, Breean (ECY) <bzim461@ECY.WA.GOV>
Sent: Monday, March 20, 2017 12:22 PM
To: Wu, Jennifer
Subject: RE: May availability

This is great and will keep us focused. Thank you, Jenny!

From: Wu, Jennifer [mailto:Wu.Jennifer@epa.gov]
Sent: Monday, March 20, 2017 12:21 PM
To: Zimmerman, Breean (ECY) <bzim461@ECY.WA.GOV>
Subject: RE: May availability

Thanks!

FYI, after we talked, I jotted down a few questions on anti-deg I'm going to look into. Hopefully, that'll give us some good foundation to build from.

- a. When is an anti-deg analysis needed for a 401 cert in permitting?
- b. Who is responsible for doing the anti-deg analysis? (*State? EPA? Hatchery? Gray area: typically state, but not required*)
- c. What does the analysis include?
- d. For the LNFH facility, is a Tier 1 or Tier 2 analysis required?
- e. For the LNFH facility, what is the baseline to compare current operations for anti- (1979, 2008)?
- f. For the LNFH facility, can the 2008 anti-deg analysis be used for the 2017 401 cert? If no, can elements of it be used?

From: Zimmerman, Breean (ECY) [mailto:bzim461@ECY.WA.GOV]
Sent: Monday, March 20, 2017 12:07 PM
To: Wu, Jennifer <Wu.Jennifer@epa.gov>
Subject: May availability

May 2nd – from 8am thru 9:30am OR 2:30pm thru 4pm.

May 4th

May 9th – between 9am and 12pm.

May 17th – anytime after 10:30am

May 25th

Breean Zimmerman | **Hydropower Projects Manager**
Water Quality Program | Central Regional Office
(509) 575-2808 (w) | (509) 406-5130 (c) | bzim461@ecy.wa.gov